

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/807,843	(03/24/2004	Helmuth Gabl	ANDPAT/186/US	5476
2543	7590	09/01/2006		EXAM	INER
ALIX YAL	E & RIS	TAS LLP	ROSENBAUM, MARK		
750 MAIN S	TREET		•		
SUITE 1400)		ART UNIT	PAPER NUMBER	
HARTFORD CT 06103				2725	

DATE MAILED: 09/01/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Application No.	Applicant(s)				
		10/807,843	GABL, HELMUTH				
		Examiner	Art Unit				
<u></u>		Mark Rosenbaum	3725				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
WHIC - Exte afte - If NC - Failt Any	IORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATES OF THE MAILING D	ATE OF THIS COMMUN 36(a). In no event, however, may a will apply and will expire SIX (6) MO , cause the application to become A	ICATION. Teply be timely filed INTHS from the mailing date of this communication. INTHS from the mailing date of this communication. INTHS FROM THE MAILING TH				
Status							
1)⊠	Responsive to communication(s) filed on 17 Ju	<i>aly 2006</i> .					
2a) <u></u> ☐	This action is FINAL . 2b)⊠ This action is non-final.						
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims						
4)⊠	Claim(s) 7-26,28 and 29 is/are pending in the a	application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)[5) Claim(s) is/are allowed.						
·	☑ Claim(s) <u>7-26,28,29</u> is/are rejected.						
· ·	Claim(s) is/are objected to.						
8)[_]	Claim(s) are subject to restriction and/or	r election requirement.					
Applicat	ion Papers						
9)[The specification is objected to by the Examine	۴.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
	Applicant may not request that any objection to the		• •				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority	under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:							
	1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
`	see the attached detailed Office action for a list	or the certified copies no	rieceived.				
Attachmer	• •	_					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date							
3) Infor	3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) 5) Notice of Informal Patent Application (PTO-152)						
Pape	er No(s)/Mail Date	6)	<u> </u>				

DETAILED ACTION

Response to Arguments

Applicant's arguments with respect to the rejected claims have been considered but are most in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

Claims 7-11,15-19,21,22,28,29 are rejected under 35 U.S.C. 102(b) as being anticipated by Bielagus. The figure shows confronting rolls performing a compressive function on pulp material.

Claim Rejections - 35 USC § 103

Claims 12-14,23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bielagus. The limitations of these claims would have been obvious design choices only once the basic apparatus was known. For example, the type of roll support used would have been a design choice based on several factors such as material being treated and space requirements.

Claims 20,24-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bielagus in view of Long.

Claims 20,24-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bielagus in view of Long. Bielagus does not use a conveyor belt as part of his compression zone which limits material movement control. Long solves this problem by disclosing similar apparatus including the use of a conveyor belt. In order to provide for improved material flow control, it would have been obvious for one of ordinary skill in the art to modify Bielagus by providing a conveyor belt, taught to be desirable by Long.

Art Unit: 3725

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark Rosenbaum whose telephone number is 571-272-4523. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Derris Banks can be reached on 571-272-4419. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Mark Rosenbaum Primary Examiner

Art Unit 3725

MR